

# Compression FT Screw System

Reference Chart



**Arthrex**<sup>®</sup>  
Vet Systems



---

# Compression FT Screws

## Small Animals


---

The zero-profile, headless, titanium 2.5 mm Micro Compression FT™, 3.5 mm Mini Compression FT™, 4.0 mm Standard Compression FT, 5.0 mm Large Compression FT, and 7.0 mm X-Large Compression FT screws can be used for a wide range of indications.

- **Variable-stepped thread pitch** – Screw design supports gradual compression of fragments
- **Headless** – Can be implanted intra-articularly and extra-articularly with minimal risk of impingement or soft-tissue irritation
- **Self-drilling and self-tapping** – 2 sets of cutting flutes facilitate insertion
- **Multiple size options** – Available in 2.5 mm Micro, 3.5 mm Mini, 4.0 mm Standard, 5.0 mm Large, and 7.0 mm X-Large sizes
- **Cannulation** – Assists in accurate placement for both percutaneous and open applications
- **Improved torque transmission** – Hexalobe recess in 3.5 mm, 4.0 mm, 5.0 mm, and 7.0 mm Compression FT screws provides improved torque transmission

# Compression FT Screw System


## Instrument Set



This set is designed to ensure proper instrumentation is used across the 2.5 mm, 3.5 mm, and 4.0 mm implant line. The included individual caddies allow the implants and implant-specific instruments to be housed together in order to minimize confusion, while the common instruments are in a separate caddy. The cannulated instrumentation within the set assists in accurate placement of the implant.

Product Description	Item Number
Compression FT Screw Instrument Set	AR-8738S

## Instruments

	Product Description	Item Number
	Depth Device	AR-8737-51
	Obturator for Drill Guide	AR-8737-44
	Percutaneous Drill Guide	AR-8737-43
	Screwdriver Handle, ratcheting	AR-8950RH
	Guidewire Plunger	AR-8737-56
	Screw Holding Forceps	AR-8941F
	Percutaneous Pin Clamp	AR-8737-57
	Compression FT Screw System Instrument Case, 15.5 in × 9.8 in × 6.25 in (394 mm × 249 mm × 159 mm)	AR-8738C

Note: The caddies are included with the purchase of the instrument set (AR-8738S) or the instrument case (AR-8738C). The caddies are also available individually.

## 2.5 mm Micro Compression FT™ Screw Instruments

	Product Description	Item Number
	Driver, cannulated, 1.5 mm hex	AR-8737-37
	Driver, solid, 1.5 mm hex	AR-8737-45
	Profile Drill, micro	AR-8737-46
	Parallel Drill Guide	AR-8737-48
	Screw Extractor/Trephine	AR-8737-59

## 3.5 mm Mini Compression FT™ Screw Instruments

	Product Description	Item Number
	Driver, T10 hexalobe, cannulated	AR-8737-38
	Driver, T10 hexalobe, solid	AR-8950SD-10
	Profile Drill, mini	AR-8737-47
	Parallel Drill Guide	AR-8737-49

	Product Description	Item Number
	Screw Extractor/Trephine	AR-8737-59

#### 4.0 mm Standard Compression FT Screw Instruments

	Product Description	Item Number
	Driver, T10 hexalobe, cannulated	AR-8737-38
	Driver, T10 hexalobe, solid	AR-8950SD-10
	Profile Drill, standard	AR-8737-54
	Parallel Drill Guide	AR-8737-55
	Screw Extractor/Trephine	AR-8737-60

## Implants (not included in set)

### 2.5 mm Micro Compression FT™ Screws

	Product Description	Item Number
	8 mm-14 mm Sizes: 8, 9, 10, 11, 12, 13, 14 mm	AR-8725-08H to -14H
	16 mm-50 mm Sizes: 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 35, 36, 38, 40, 42, 44, 45, 46, 48, 50 mm	AR-8725-16H to -50H

### 3.5 mm Mini Compression FT™ Screws

	Product Description	Item Number
	12 mm-60 mm Sizes: 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 35, 36, 38, 40, 42, 44, 45, 46, 48, 50, 52, 54, 55, 56, 58, 60 mm	AR-8730-12H to -60H

### 4.0 mm Standard Compression FT Screws

	Product Description	Item Number
	16 mm-60 mm Sizes: 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 35, 36, 38, 40, 42, 44, 45, 46, 48, 50, 52, 54, 55, 56, 58, 60 mm	AR-8740-16H to -60H

## Disposables (not included in set)

### 2.5 mm Micro Disposable Instruments

	Product Description	Item Number
	Drill Bit, straight, cannulated, 2 mm	AR-8737-34
	Drill Bit, straight, cannulated, 2.2 mm (hard bone option)	AR-8737-58
	Guidewire w/ Trocar Tip, 0.034 in (0.86 mm), laser-marked	AR-8737-39
	Guidewire w/ Double Trocar Tip, 0.034 in (0.86 mm), laser-marked	AR-8737-39KD

	Product Description	Item Number
	Guidewire w/ Trocar Tip, threaded, 0.045 in (1.1 mm), laser-marked	AR-8737-40

### 3.5 mm Mini Disposable Instruments

	Product Description	Item Number
	Guidewire w/ Trocar Tip, 0.045 in (1.1 mm), laser-marked	AR-8737-35
	Guidewire w/ Trocar Tip, 0.045 in (1.1 mm), laser-marked	AR-8737-41
	Guidewire w/ Double Trocar Tip 0.045 in (1.1 mm), laser-marked	AR-8737-41KD
	Guidewire w/ Trocar Tip, threaded, 0.045 in (1.1 mm), laser-marked	AR-8737-42

### 4.0 mm Standard Disposable Instruments

	Product Description	Item Number
	Drill Bit, straight, cannulated, 3.2 mm	AR-8737-50
	Guidewire w/ Trocar Tip, 0.045 in (1.1 mm), laser-marked	AR-8737-41
	Guidewire w/ Double Trocar Tip 0.045 in (1.1 mm), laser-marked	AR-8737-41KD
	Guidewire w/ Trocar Tip, threaded, 0.045 in (1.1 mm), laser-marked	AR-8737-42

# Caddies

## Optional


	Product Description	Item Number
<p>A black plastic caddy containing various surgical instruments including a depth device, guide wire plunger, screw holding forceps, orthurator, and a driver with a blue handle.</p>	<p>Compression FT Screw System Caddy, Common Instruments* 6 in × 9.25 in × 2.8 in (153 mm × 235 mm × 72 mm)</p>	<p>AR-8738C-01</p>
<p>A black plastic caddy with a grid of holes for instruments. Labeled items include: GUIDE WIRE .88 mm AR-8737-39, GUIDE WIRE .88 mm THREADED AR-8737-40, PROFILE DRILL MICRO AR-8737-46, DRILL BIT (Q2) AR-8737-34, DRIVER SHAFT .75 HEX (Q2) AR-8737-37, SOLID DRIVER SHAFT .1MM HEX AR-8737-45, EASY-OUT MICRO AR-8737-41, and EXTRACTOR/TREPHINE MICRO/MINI AR-8737-59.</p>	<p>Micro Compression FT™ Screw System Caddy* 6 in × 9.25 in × 2.8 in (153 mm × 235 mm × 72 mm)</p>	<p>AR-8738C-02</p>
<p>A black plastic caddy with a grid of holes for instruments. Labeled items include: GUIDE WIRE 1.1 mm AR-8737-41, GUIDE WIRE 1.1 mm THREADED AR-8737-42, PROFILE DRILL MINI AR-8737-47, DRILL BIT (Q2) AR-8737-35, DRIVER SHAFT .75 (Q2) AR-8737-38, SOLID DRIVER SHAFT .115 AR-860502-10, EASY-OUT MINI/STANDARD AR-8737-42, and EXTRACTOR/TREPHINE MICRO/MINI AR-8737-59.</p>	<p>Mini Compression FT™ Screw System Caddy* 6 in × 9.25 in × 2.8 in (153 mm × 235 mm × 72 mm)</p>	<p>AR-8738C-03</p>
<p>A black plastic caddy with a grid of holes for instruments. Labeled items include: GUIDE WIRE 1.1 mm AR-8737-41, GUIDE WIRE 1.1 mm THREADED AR-8737-42, PROFILE DRILL STANDARD AR-8737-54, DRILL BIT (Q2) AR-8737-36, DRIVER SHAFT .75 (Q2) AR-8737-38, SOLID DRIVER SHAFT .115 AR-860502-10, EASY-OUT MINI/STANDARD AR-8737-42, and EXTRACTOR/TREPHINE STANDARD AR-8737-66.</p>	<p>Standard Compression FT Screw System Caddy* 6 in × 9.25 in × 2.8 in (153 mm × 235 mm × 72 mm)</p>	<p>AR-8738C-04</p>

\*Instruments and implants shown are not included; sold separately



# Large Compression FT Screw System

## Instrument Set



This color-coded set is designed to ensure all necessary instrumentation is used for the 5.0 mm and 7.0 mm implants. The included caddies house the implants and the tray houses the instrumentation, so the two are stored together. The cannulated instrumentation within the set assists in accurate placement of the implant.

Product Description	Item Number
Large Compression FT Screw Instrument Set	AR-8750S

## Instruments

	Product Description	Item Number
	Depth Device	AR-8750-01
	Percutaneous Drill Guide	AR-8750-02
	Guidewire Plunger	AR-8737-56
	Screw Holding Forceps	AR-8941F
	Sharp Hook	AR-8943-21
	5.0 mm/ 7.0 mm Compression FT Instrument Case, 20.5 in × 9.8 in × 3.2 in (521 mm × 249 mm × 82 mm)	AR-8750C

Note: The implant caddies are included with the purchase of the instrument set (AR-8750S) or the instrument case (AR-8750C). The caddies are also available individually and hold only the implants.

## 5.0 mm Large Compression FT Screw Instruments

	Product Description	Item Number
	Driver, cannulated, T15 hexalobe	AR-8750-03
	Driver, solid, T15 hexalobe	AR-8750-06
	Guidewire Sleeve, 1.6 mm	AR-8750-07
	Soft Tissue Protector, 1.6 mm	AR-8750-08
	Drill Sleeve, 5.0 mm large	AR-8750-12
	Screwdriver Handle, ratcheting, AO	AR-8970RH

## 7.0 mm X-Large Compression FT Screw Instruments

	Product Description	Item Number
	Driver, cannulated, T25 hexalobe	AR-8770-01
	Driver, solid, T25 hexalobe	AR-8770-04
	Guidewire Sleeve, 2.4 mm	AR-8770-05

	Product Description	Item Number
	Soft Tissue Protector, 2.4 mm	AR-8770-06
	Drill Sleeve, 7.0 mm x-large	AR-8770-09
	Screwdriver Handle, ratcheting, trilobe axial handle	AR-8770RH
	Screwdriver Handle, ratcheting, trilobe T-handle	AR-8770TH

## Implants (not included in set)

### 5.0 mm Large Compression FT Screws

	Product Description	Item Number
	20 mm-50 mm <b>Sizes:</b> 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50 mm	AR-8750-20H to -50H
	55 mm-90 mm <b>Sizes:</b> 55, 60, 65, 70, 75, 80, 85, 90 mm	AR-8750-55H to -90H

### 7.0 mm X-Large Compression FT Screws

	Product Description	Item Number
	35 mm-120 mm <b>Sizes:</b> 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120 mm	AR-8770-35H to -120H
	125 mm-140 mm, sterile <b>Sizes:</b> 125, 130, 135, 140 mm	AR-8770-125HS to -140HS

## Disposables (not included in set)

### 5.0 mm Large Disposable Instruments

	Product Description	Item Number
	Guidewire w/ Trocar Tip, 0.062 in (1.6 mm)	AR-8750K
	Guidewire w/ Trocar Tip, 0.062 in (1.6 mm), threaded	AR-8750KT
	Profile Drill, 5 mm large	AR-8750-05
	Drill Bit, straight, cannulated, 3.2 mm	AR-8750-04
	Drill Bit, straight, cannulated, long, 3.2 mm	AR-8750-09
	Trepine/Extractor, 5.0 mm Large Compression FT	AR-8750-11


### 7.0 mm X-Large Disposable Instruments

	Product Description	Item Number
	Guidewire w/ Trocar Tip, 0.094 in (2.4 mm)	AR-8770K
	Guidewire w/ Trocar Tip, 0.094 in (2.4 mm), threaded	AR-8770KT

	Product Description	Item Number
	Profile Drill, 7 mm X-Large	AR-8770-03
	Drill Bit, straight, cannulated, 5 mm	AR-8770-02
	Trepine/Extractor, 7.0 mm X-Large Compression FT	AR-8770-08

## Caddies

### Optional

	Product Description	Item Number
	Compression Screw Caddy, 5.0 mm* 7.5 in × 8.7 in × .75 in (191 mm × 221 mm × 20 mm)	AR-8750C-SC-01
	Compression Screw Caddy, 7.0 mm* 7.5 in × 8.7 in × 1.9 in (191 mm × 221 mm × 49 mm)	AR-8750C-SC-02

\*Implants shown are not included; sold separately



This is not veterinary advice and Arthrex recommends that veterinarians be trained in the use of any particular product before using it in surgery. A veterinarian must always rely on their own professional clinical judgment when deciding whether to use a particular product. A veterinarian must always refer to the package insert, product label, and/or directions for use before using any Arthrex product. Products may not be available in all markets because product availability is subject to the regulatory or veterinary practices in individual markets. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level or outcomes. Please contact your Arthrex representative if you have questions about availability of products in your area.