${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



Date:

Account Number: ____

| Distal Humeral Plate, SS, 3.5 mm, left | | | | | |
|--|--------------|--------|------|-----|--|
| QTY | PRODUCT # | LENGTH | LOT# | UDI | |
| | VAR-3035DH-L | | | | |
| | | | · | | |

| | - \ | \smile | |
|---|-----|------------|--|
| | _ | \bigcirc | |
| ş | | 0 | |
| | | 0 | |
| | | 0 | |
| | | | |
| | 6 | -9 | |
| | C | Ĵ | |
| | | | |

Distal Humeral Plate, SS, 3.5 mm, right

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | VAR-3035DH-R | | | |

| 0 0 | |
|------------|----|
| \bigcirc | |
| \bigcirc | |
|) 3C |)0 |

Low-Profile Locking Screw, SS, 2.7 mm

| Low | Low-Profile Locking Screw, SS, 2.7 mm | | | | | |
|-----|---------------------------------------|--------|------|-----|---|--|
| QTY | PRODUCT # | LENGTH | LOT# | UDI | | |
| | VAR-8827L-10 | 10 mm | | | | |
| | VAR-8827L-12 | 12 mm | | | | |
| | VAR-8827L-14 | 14 mm | | | Ŧ | |
| | VAR-8827L-16 | 16 mm | | | | |
| | VAR-8827L-18 | 18 mm | | | | |
| | VAR-8827L-20 | 20 mm | | | | |
| | VAR-8827L-22 | 22 mm | | | | |
| | VAR-8827L-24 | 24 mm | | | | |
| | VAR-8827L-26 | 26 mm | | | | |
| | VAR-8827L-28 | 28 mm | | | | |
| | VAR-8827L-30 | 30 mm | | | | |
| | VAR-8827L-32 | 32 mm | | | | |
| | VAR-8827L-34 | 34 mm | | | | |

Low-Profile Cortical Screw, SS, 2.7 mm

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | VAR-8827-10 | 10 mm | | |
| | VAR-8827-12 | 12 mm | | |
| | VAR-8827-14 | 14 mm | | |
| | VAR-8827-16 | 16 mm | | |
| | VAR-8827-18 | 18 mm | | |
| | VAR-8827-20 | 20 mm | | |
| | VAR-8827-22 | 22 mm | | |
| | VAR-8827-24 | 24 mm | | |
| | VAR-8827-26 | 26 mm | | |
| | VAR-8827-28 | 28 mm | | |
| | VAR-8827-30 | 30 mm | | |
| | VAR-8827-32 | 32 mm | | |
| | VAR-8827-34 | 34 mm | | |

© 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



| Date: | |
|-------|--|
| | |

Account Number: ____

|)TY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | VAR-8835L-08 | 8 mm | | |
| | VAR-8835L-10 | 10 mm | | |
| | VAR-8835L-12 | 12 mm | | |
| | VAR-8835L-14 | 14 mm | | |
| | VAR-8835L-16 | 16 mm | | |
| | VAR-8835L-18 | 18 mm | | |
| | VAR-8835L-20 | 20 mm | | |
| | VAR-8835L-22 | 22 mm | | |
| | VAR-8835L-24 | 24 mm | | |
| | VAR-8835L-26 | 26 mm | | |
| | VAR-8835L-28 | 28 mm | | |
| | VAR-8835L-30 | 30 mm | | |
| | VAR-8835L-32 | 32 mm | | |
| | VAR-8835L-34 | 34 mm | | |

Low-Profile Locking Screw, SS, 3.5 mm

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | VAR-8835L-36 | 36 mm | | |
| | VAR-8835L-38 | 38 mm | | |
| | VAR-8835L-40 | 40 mm | | |
| | VAR-8835L-42 | 42 mm | | |
| | VAR-8835L-44 | 44 mm | | |
| | VAR-8835L-46 | 46 mm | | |
| | VAR-8835L-48 | 48 mm | | |
| | VAR-8835L-50 | 50 mm | | |
| | VAR-8835L-52 | 52 mm | | |
| | VAR-8835L-54 | 54 mm | | |
| | VAR-8835L-56 | 56 mm | | |
| | VAR-8835L-58 | 58 mm | | |
| | VAR-8835L-60 | 60 mm | | |
| | | | | |

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



| Date: | |
|-------|--|
| | |

Account Number: ____

|)TY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | VAR-8835-08 | 8 mm | | |
| | VAR-8835-10 | 10 mm | | |
| | VAR-8835-12 | 12 mm | | |
| | VAR-8835-14 | 14 mm | | |
| | VAR-8835-16 | 16 mm | | |
| | VAR-8835-18 | 18 mm | | |
| | VAR-8835-20 | 20 mm | | |
| | VAR-8835-22 | 22 mm | | |
| | VAR-8835-24 | 24 mm | | |
| | VAR-8835-26 | 26 mm | | |
| | VAR-8835-28 | 28 mm | | |
| | VAR-8835-30 | 30 mm | | |
| | VAR-8835-32 | 32 mm | | |
| | VAR-8835-34 | 34 mm | | |

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | VAR-8835-36 | 36 mm | | |
| | VAR-8835-38 | 38 mm | | |
| | VAR-8835-40 | 40 mm | | |
| | VAR-8835-42 | 42 mm | | |
| | VAR-8835-44 | 44 mm | | |
| | VAR-8835-46 | 46 mm | | |
| | VAR-8835-48 | 48 mm | | |
| | VAR-8835-50 | 50 mm | | |
| | VAR-8835-52 | 52 mm | | |
| | VAR-8835-54 | 54 mm | | |
| | VAR-8835-56 | 56 mm | | |
| | VAR-8835-58 | 58 mm | | |
| | VAR-8835-60 | 60 mm | | |
| | VAR-8835-65 | 65 mm | | |

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



| Date: | |
|-------|--|
| | |
| | |

Account Number: _

| QTΥ | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | VAR-8840L-18 | 18 mm | | |
| | VAR-8840L-20 | 20 mm | | |
| | VAR-8840L-22 | 22 mm | | |
| | VAR-8840L-24 | 24 mm | | |
| | VAR-8840L-26 | 26 mm | | |
| | VAR-8840L-28 | 28 mm | | |
| | VAR-8840L-30 | 30 mm | | |
| | VAR-8840L-32 | 32 mm | | |
| | VAR-8840L-34 | 34 mm | | 22 |
| | VAR-8840L-35 | 35 mm | | |
| | VAR-8840L-36 | 36 mm | | |
| | VAR-8840L-38 | 38 mm | | |
| | VAR-8840L-40 | 40 mm | | |
| | VAR-8840L-42 | 42 mm | | |

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | VAR-8840L-44 | 44 mm | | |
| | VAR-8840L-45 | 45 mm | | |
| | VAR-8840L-46 | 46 mm | | |
| | VAR-8840L-48 | 48 mm | | |
| | VAR-8840L-50 | 50 mm | | |
| | VAR-8840L-52 | 52 mm | | |
| | VAR-8840L-54 | 54 mm | | |
| | VAR-8840L-55 | 55 mm | | |
| | VAR-8840L-56 | 56 mm | | |
| | VAR-8840L-58 | 58 mm | | |
| | VAR-8840L-60 | 60 mm | | |
| | VAR-8840L-65 | 65 mm | | |

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



| Date: | | |
|-----------------|--|--|
| | | |
| Account Number: | | |

Disposables

| QTY | PRODUCT # | DESCRIPTION | LOT# | UDI |
|-----|-------------|------------------------------------|------|-----|
| | VAR-8944-22 | 2.0 mm Drill Bit (2.7 mm) | | |
| | VAR-4035D | 2.8 mm Drill Bit (3.5 mm locking) | | |
| | VAR-4040D | 3.5 mm Drill Bit (4.0 mm) | | |
| | VAR-8943-30 | 2.5 mm Drill Bit (3.5 mm cortical) | | |
| | VAR-8933K | 0.045 in/1.14 mm × 150 mm K-wire | | |
| | VAR-8937K | 0.051 in/1.3 mm × 150 mm K-wire | | |
| | VAR-8941TBB | BB-Tak, large, threaded | | |
| | VAR-8941BB | BB-Tak, large | | |

 ${\ensuremath{\mathbb C}}$ 2023-09 Arthrex, Inc. (USA) vLF1-000135-en-US_B; To Order Call: 888-215-3740



| Date: | | | | | | |
|-------|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |

Account Number: ____

Instruments

| QTY | PRODUCT # | DESCRIPTION | LOT# | UDI |
|-----|-------------|--|------|-----|
| | VAR-8950-07 | 2.7 mm Locking Drill Guide | | |
| | VAR-8943-31 | 2.0 mm Drill Guide (2.7 mm) | | |
| | VAR-4030KDG | 1.14 mm K-wire Drill Guide (2.7 mm/3.0 mm) | | |
| | VAR-4027T | 2.7 mm Bone Tap | | |
| | VAR-8944DH | T10 Driver (2.7 mm/3.0 mm) | | |
| | VAR-8943-08 | T10 Screwdriver (2.7 mm/3.0 mm) | | |
| | VAR-8950-09 | 2.7 mm/3.0 mm Locking Plate Holder | | |
| | VAR-4027-04 | 2.7 mm Cannulated Bending Plug (VAR-8933K) | | |
| | VAR-8943-14 | 2.4 mm drill guide (3.5 mm) | | |
| | VAR-4035DG | 3.5 mm Locking Drill Guide | | |
| | VAR-4035KDG | 1.3 mm K-wire Drill Guide (3.5 mm) | | |
| | VAR-8941DH | T15 Driver (3.5 mm/4.0 mm) | | |
| | VAR-8943-10 | T15 Screwdriver (3.5 mm) | | |
| | VAR-4000-09 | 3.5 mm/3.5B mm Bending Iron, large | | |
| | VAR-4035-04 | 3.5 mm Cannulated Bending Plug (VAR-8937K) | | |
| | VAR-8943-15 | Depth Measuring Device 2.7 mm/3.0 mm/3.5 mm/4.0 mm | | |
| | VAR-4040DG | 4.0 mm Locking Drill Guide | | |
| | VAR-8954-07 | 3.5 mm Locking Plate Holder | | |