

# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

Date:

Account Number:

Straight Plate, SS, 3.5 mm

| Qty | Product #   | Holes | Lot # | GTIN           | UDI                                                                                 |
|-----|-------------|-------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-3035-06 | 6     |       | 00888867371927 |    |
|     | VAR-3035-07 | 7     |       | 00888867371934 |    |
|     | VAR-3035-08 | 8     |       | 00888867371941 |    |
|     | VAR-3035-09 | 9     |       | 00888867371958 |    |
|     | VAR-3035-10 | 10    |       | 00888867371965 |    |
|     | VAR-3035-11 | 11    |       | 00888867371972 |    |
|     | VAR-3035-12 | 12    |       | 00888867371989 |    |
|     | VAR-3035-13 | 13    |       | 00888867371996 |    |
|     | VAR-3035-14 | 14    |       | 00888867373945 |    |
|     | VAR-3035-15 | 15    |       | 00888867373952 |  |
|     | VAR-3035-16 | 16    |       | 00888867505810 |  |
|     | VAR-3035-17 | 17    |       | 00888867505827 |  |
|     | VAR-3035-18 | 18    |       | 00888867505834 |  |
|     | VAR-3035-19 | 19    |       | 00888867505841 |  |
|     | VAR-3035-20 | 20    |       | 00888867505858 |  |

Straight Plate, Broad, SS, 3.5 mm

| Qty | Product #    | Holes | Lot # | GTIN           | UDI                                                                                   |
|-----|--------------|-------|-------|----------------|---------------------------------------------------------------------------------------|
|     | VAR-3035B-08 | 8     |       | 00888867372009 |    |
|     | VAR-3035B-09 | 9     |       | 00888867372016 |    |
|     | VAR-3035B-10 | 10    |       | 00888867372023 |    |
|     | VAR-3035B-11 | 11    |       | 00888867372030 |    |
|     | VAR-3035B-12 | 12    |       | 00888867372047 |    |
|     | VAR-3035B-13 | 13    |       | 00888867372054 |    |
|     | VAR-3035B-14 | 14    |       | 00888867372061 |    |
|     | VAR-3035B-15 | 15    |       | 00888867372078 |    |
|     | VAR-3035B-16 | 16    |       | 00888867372085 |    |
|     | VAR-3035B-17 | 17    |       | 00888867372092 |  |
|     | VAR-3035B-18 | 18    |       | 00888867505865 |  |
|     | VAR-3035B-19 | 19    |       | 00888867505872 |  |
|     | VAR-3035B-20 | 20    |       | 00888867505889 |  |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.



# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

### T-Plate, SS, 3.5 mm, 2 Hole/4 Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                               |
|-----|---------------|-------|-------|----------------|-----------------------------------------------------------------------------------|
|     | VAR-3035T-2-4 | 2/4   |       | 00888867372108 |  |

### T-Plate, SS, 3.5 mm 2-Hole/6-Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                               |
|-----|---------------|-------|-------|----------------|-----------------------------------------------------------------------------------|
|     | VAR-3035T-2-6 | 2/6   |       | 00888867505896 |  |

### T-Plate, SS, 3.5 mm 2-Hole/8-Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                               |
|-----|---------------|-------|-------|----------------|-----------------------------------------------------------------------------------|
|     | VAR-3035T-2-8 | 2/8   |       | 00888867505902 |  |

Date:

Account Number:

### T-Plate, SS, 3.5 mm, 3-Hole/4-Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                                 |
|-----|---------------|-------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-3035T-3-4 | 3/4   |       | 00888867372115 |  |

### T-Plate, SS, 3.5 mm 3-Hole/6-Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                                 |
|-----|---------------|-------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-3035T-3-6 | 3/6   |       | 00888867505896 |  |

### T-Plate, SS, 3.5 mm 3-Hole/8-Hole

| Qty | Product #     | Holes | Lot # | GTIN           | UDI                                                                                 |
|-----|---------------|-------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-3035T-3-8 | 3/8   |       | 00888867505933 |  |

### T-Plate, SS, 3.5 mm 3-Hole/2-Hole

| Qty | Product #      | Holes | Lot # | GTIN           | UDI                                                                                   |
|-----|----------------|-------|-------|----------------|---------------------------------------------------------------------------------------|
|     | VAR-3035T-3-12 | 3/12  |       | 00888867505919 |  |

# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

### Low Profile Locking Screw, SS, 3.5 mm

| Qty | Product #    | Length | Lot # | GTIN           | UDI                                                                                 |
|-----|--------------|--------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-8835L-08 | 8 mm   |       | 00888867213890 |    |
|     | VAR-8835L-10 | 10 mm  |       | 00888867213906 |    |
|     | VAR-8835L-12 | 12 mm  |       | 00888867213913 |    |
|     | VAR-8835L-14 | 14 mm  |       | 00888867213920 |    |
|     | VAR-8835L-16 | 16 mm  |       | 00888867213937 |    |
|     | VAR-8835L-18 | 18 mm  |       | 00888867213944 |    |
|     | VAR-8835L-20 | 20 mm  |       | 00888867213951 |    |
|     | VAR-8835L-22 | 22 mm  |       | 00888867213968 |    |
|     | VAR-8835L-24 | 24 mm  |       | 00888867213975 |    |
|     | VAR-8835L-26 | 26 mm  |       | 00888867213982 |  |
|     | VAR-8835L-28 | 28 mm  |       | 00888867213999 |  |
|     | VAR-8835L-30 | 30 mm  |       | 00888867214002 |  |
|     | VAR-8835L-32 | 32 mm  |       | 00888867214019 |  |
|     | VAR-8835L-34 | 34 mm  |       | 00888867214026 |  |

Date:

Account Number:

### Low Profile Locking Screw, SS, 3.5 mm

| Qty | Product #    | Length | Lot # | GTIN           | UDI                                                                                   |
|-----|--------------|--------|-------|----------------|---------------------------------------------------------------------------------------|
|     | VAR-8835L-36 | 36 mm  |       | 00888867214040 |    |
|     | VAR-8835L-38 | 38 mm  |       | 00888867214057 |    |
|     | VAR-8835L-40 | 40 mm  |       | 00888867214064 |    |
|     | VAR-8835L-42 | 42 mm  |       | 00888867214071 |    |
|     | VAR-8835L-44 | 44 mm  |       | 00888867214088 |    |
|     | VAR-8835L-46 | 46 mm  |       | 00888867214101 |    |
|     | VAR-8835L-48 | 48 mm  |       | 00888867214118 |    |
|     | VAR-8835L-50 | 50 mm  |       | 00888867214125 |    |
|     | VAR-8835L-52 | 52 mm  |       | 00888867214132 |    |
|     | VAR-8835L-54 | 54 mm  |       | 00888867214149 |  |
|     | VAR-8835L-56 | 56 mm  |       | 00888867214163 |  |
|     | VAR-8835L-58 | 58 mm  |       | 00888867214170 |  |
|     | VAR-8835L-60 | 60 mm  |       | 00888867214187 |  |

# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

| Low Profile Cortical Screw, SS, 3.5 mm |             |        |       |                |                                                                                     |
|----------------------------------------|-------------|--------|-------|----------------|-------------------------------------------------------------------------------------|
| Qty                                    | Product #   | Length | Lot # | GTIN           | UDI                                                                                 |
|                                        | VAR-8835-10 | 10 mm  |       | 00888867217850 |    |
|                                        | VAR-8835-12 | 12 mm  |       | 00888867217867 |    |
|                                        | VAR-8835-14 | 14 mm  |       | 00888867217874 |    |
|                                        | VAR-8835-16 | 16 mm  |       | 00888867217881 |    |
|                                        | VAR-8835-18 | 18 mm  |       | 00888867217898 |    |
|                                        | VAR-8835-20 | 20 mm  |       | 00888867217904 |    |
|                                        | VAR-8835-22 | 22 mm  |       | 00888867217911 |    |
|                                        | VAR-8835-24 | 24 mm  |       | 00888867217928 |    |
|                                        | VAR-8835-26 | 26 mm  |       | 00888867217935 |    |
|                                        | VAR-8835-28 | 28 mm  |       | 00888867217942 |  |
|                                        | VAR-8835-30 | 30 mm  |       | 00888867217959 |  |
|                                        | VAR-8835-32 | 32 mm  |       | 00888867217966 |  |
|                                        | VAR-8835-34 | 34 mm  |       | 00888867217973 |  |
|                                        | VAR-8835-36 | 36 mm  |       | 00888867217997 |  |

|                 |
|-----------------|
| Date:           |
| Account Number: |

| Low Profile Cortical Screw, SS, 3.5 mm |             |        |       |                |                                                                                       |
|----------------------------------------|-------------|--------|-------|----------------|---------------------------------------------------------------------------------------|
| Qty                                    | Product #   | Length | Lot # | GTIN           | UDI                                                                                   |
|                                        | VAR-8835-38 | 38 mm  |       | 00888867218000 |    |
|                                        | VAR-8835-40 | 40 mm  |       | 00888867218017 |    |
|                                        | VAR-8835-42 | 42 mm  |       | 00888867218024 |    |
|                                        | VAR-8835-44 | 44 mm  |       | 00888867218031 |    |
|                                        | VAR-8835-46 | 46 mm  |       | 00888867218055 |    |
|                                        | VAR-8835-48 | 48 mm  |       | 00888867218062 |    |
|                                        | VAR-8835-50 | 50 mm  |       | 00888867218079 |    |
|                                        | VAR-8835-52 | 52 mm  |       | 00888867218086 |    |
|                                        | VAR-8835-54 | 54 mm  |       | 00888867218093 |    |
|                                        | VAR-8835-56 | 56 mm  |       | 00888867218116 |  |
|                                        | VAR-8835-58 | 58 mm  |       | 00888867218123 |  |
|                                        | VAR-8835-60 | 60 mm  |       | 00888867218130 |  |
|                                        | VAR-8835-65 | 65 mm  |       | 00888867218147 |  |

# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

Low Profile Locking Screw, SS, 4.0 mm

| Qty | Product #    | Length | Lot # | GTIN           | UDI                                                                                 |
|-----|--------------|--------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-8840L-18 | 18 mm  |       | 00888867372627 |    |
|     | VAR-8840L-20 | 20 mm  |       | 00888867372634 |    |
|     | VAR-8840L-22 | 22 mm  |       | 00888867372641 |    |
|     | VAR-8840L-24 | 24 mm  |       | 00888867372658 |    |
|     | VAR-8840L-26 | 26 mm  |       | 00888867372665 |    |
|     | VAR-8840L-28 | 28 mm  |       | 00888867372672 |    |
|     | VAR-8840L-30 | 30 mm  |       | 00888867372689 |    |
|     | VAR-8840L-32 | 32 mm  |       | 00888867372696 |    |
|     | VAR-8840L-34 | 34 mm  |       | 00888867372702 |    |
|     | VAR-8840L-36 | 36 mm  |       | 00888867372726 |  |
|     | VAR-8840L-38 | 38 mm  |       | 00888867372733 |  |
|     | VAR-8840L-40 | 40 mm  |       | 00888867372740 |  |
|     | VAR-8840L-42 | 42 mm  |       | 00888867372757 |  |

Date:

Account Number:

Low Profile Locking Screw, SS, 4.0 mm

| Qty | Product #    | Length | Lot # | GTIN           | UDI                                                                                   |
|-----|--------------|--------|-------|----------------|---------------------------------------------------------------------------------------|
|     | VAR-8840L-44 | 44 mm  |       | 00888867372764 |    |
|     | VAR-8840L-45 | 45 mm  |       | 00888867372771 |    |
|     | VAR-8840L-46 | 46 mm  |       | 00888867372788 |    |
|     | VAR-8840L-48 | 48 mm  |       | 00888867372795 |    |
|     | VAR-8840L-50 | 50 mm  |       | 00888867372801 |    |
|     | VAR-8840L-52 | 52 mm  |       | 00888867372818 |    |
|     | VAR-8840L-54 | 54 mm  |       | 00888867372825 |    |
|     | VAR-8840L-55 | 55 mm  |       | 00888867372832 |    |
|     | VAR-8840L-56 | 56 mm  |       | 00888867372849 |    |
|     | VAR-8840L-58 | 58 mm  |       | 00888867372856 |  |
|     | VAR-8840L-60 | 60 mm  |       | 00888867372863 |  |
|     | VAR-8840L-65 | 65 mm  |       | 00888867372870 |  |

# 3.5 mm Straight Plates, T-Plates, and Screws

## Inventory Control Form

To order, call 800-934-4404

Date:

Account Number:

### Disposables

| Qty | Product #   | Description                                           | Lot # | GTIN           | UDI                                                                                 |
|-----|-------------|-------------------------------------------------------|-------|----------------|-------------------------------------------------------------------------------------|
|     | VAR-8943-30 | Drill bit, solid, short, AO, 2.4 mm (3.5 mm cortical) |       | 00888867237131 |  |
|     | VAR-4035D   | Drill bit, solid, AO, 2.8 mm                          |       | 00888867237117 |  |
|     | VAR-4040D   | Drill bit, solid, AO, 3.5 mm                          |       | 00888867381278 |  |
|     | VAR-8937K   | Guidewire w/ trocar, 1.3 mm                           |       | 10888867381312 |  |
|     | VAR-8941BB  | BB-Tak, large                                         |       | 00888867381322 |  |
|     | VAR-8941TBB | BB-Tak, large, threaded                               |       | 00888867381339 |  |
|     | VAR-8941TBB | Drill bit, solid, AO, 2.5 mm                          |       | 00888867381339 |  |

### Instruments

| Qty | Product #   | Description                                     | Lot # | GTIN           | UDI                                                                                   |
|-----|-------------|-------------------------------------------------|-------|----------------|---------------------------------------------------------------------------------------|
|     | VAR-4000-09 | Bending iron, large                             |       | 00888867395770 |  |
|     | VAR-4035-04 | Bending plug, cannulated, 3.5 mm                |       | 00888867395749 |  |
|     | VAR-4040DG  | Drill/depth guide, locking, 4 mm                |       | 00888867381285 |  |
|     | VAR-4035KDG | 1.3 mm K-wire drill guide, locking, 3.5 mm      |       | 00888867419001 |  |
|     | VAR-4035DG  | Drill/depth guide, locking, 3.5 mm              |       | 00888867237124 |  |
|     | VAR-8943-14 | Drill guide, 3.5 mm/2.5 mm                      |       | 00888867268166 |  |
|     | VAR-8943-10 | Screwdriver, T15 hexalobe                       |       | 00888867268197 |  |
|     | VAR-8943-15 | Depth device, low profile, 2.7 mm/3.5 mm/4.0 mm |       | 00888867268173 |  |
|     | VAR-8941DH  | Driver, T15 hexalobe                            |       | 00888867192003 |  |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

